



LINEAR 34



SET-UP NOTES


1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

IMPERIAL TO METRIC SIZES


8' Nominal = 94 1/2" or 2400mm Actual
4' Nominal = 47 1/4" or 1200mm Actual
3' Nominal = 35 7/16" or 900mm Actual
2' Nominal = 23 5/8" or 600mm Actual
1' Nominal = 11 13/16" or 300mm Actual

1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

- | | |
|--------------------|---------------------------------|
| 2400mm = (94 1/2") | Phone Line / Fax |
| 2100mm = (82 5/8") | Internet connection |
| 1800mm = (70 7/8") | Outlet |
| 1500mm = (59") | Main Drop (point of distrution) |
| 1200mm = (47 1/4") | |
| 900mm = (35 1/2") | |
| 600mm = (23 5/8") | |
| 300mm = (11 7/8") | |
- Wire running under carpet



(8) LV1 LIGHTS = 50W PER STICK



PM4S3



PH2C



PH2








PH

LINEAR 34

Title: SET-UP INSTRUCTIONS

EP



Code	#	Description
VE-01	11	PM4S3-1200 (47 1/4") WITH SET SCREW AT 152MM BOTH ENDS
VE-11	4	600MM (23 5/8") PH2 WITH SLIDE LOCKS AT BOTH ENDS
VE-12	4	300MM (11 13/16") PH2 WITH SLIDE LOCKS AT BOTH ENDS
VE-09	2	1200MM (47 1/4") PH2 WITH SLIDE LOCKS AT BOTH ENDS



1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	




--- Wire running under carpet



LINEAR 34

Title: SET-UP INSTRUCTIONS


Code	#	Description
VE-01	11	PM4S3-1200 (47 1/4") WITH SET SCREW AT 152MM
VE-13	11	PH2C 300MM[11 3/4"] VERTICAL POST CONNECTOR



1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.


2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

--- Wire running under carpet










LINEAR 34

Title: SET-UP INSTRUCTIONS





Code	#	Description
R1	1	600MM (23 5/8") PM4 ROLLER BANNER WITH LOCKS BOTH ENDS
R2	1	1200MM (47 1/4") PM4 ROLLER BANNER WITH LOCKS BOTH ENDS
R3	1	600MM (23 5/8") PM4 ROLLER BANNER WITH LOCKS BOTH ENDS
R6	1	600MM (23 5/8") PM4 ROLLER BANNER WITH LOCKS BOTH ENDS
R5	1	1200MM (47 1/4") PM4 ROLLER BANNER WITH LOCKS BOTH ENDS
R4	1	600MM (23 5/8") PM4 ROLLER BANNER WITH LOCKS BOTH ENDS



1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.


2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

--- Wire running under carpet



LINEAR 34
Title: SET-UP INSTRUCTIONS






Code	#	Description
VE-08	4	300MM (11 13/16") PM4S3 LOCKS BOTH ENDS
	4	
GRAPHIC A6	4	2213MM(V) X 300MM (87 1/8" X 11 13/16") DYE-SUB



1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.


2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

--- Wire running under carpet



LINEAR 34





Title: SET-UP INSTRUCTIONS



Code	#	Description
V-CKSO	12	25.4MM (1") DIAMETER X 25.4MM (1") STAND OFF
V-SN-R-03	2	292MM X 1200MM (11 1/2" X 47 1/4") RECTANGLE SHAPED SINTRA/FOAM
A4	2	292MM X 1200MM (11 1/2" X 47 1/4") RECTANGLE DSG GRAPHIC &V-CKS
V-SN-R-04	4	292MM X 1200MM (11 1/2" X 47 1/4") 1/2 RECTANGLE SHAPED SINTRA/
A2	2	292MM X 1200MM (11 1/2" X 47 1/4") 1/2 RECTANGLE DSG GRAPHIC &V
A3	2	292MM X 1200MM (11 1/2" X 47 1/4") 1/2 RECTANGLE DSG GRAPHIC &V


1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

- 2400mm = (94 1/2")
 - 2100mm = (82 5/8")
 - 1800mm = (70 7/8")
 - 1500mm = (59")
 - 1200mm = (47 1/4")
 - 900mm = (35 1/2")
 - 600mm = (23 5/8")
 - 300mm = (11 7/8")
- ☒ Phone Line / Fax
 - ☒ Internet connection
 - ☒ Outlet
 - ☒ Main Drop (point of distrution)
- Wire running under carpet





LINEAR 34


Title: SET-UP INSTRUCTIONS



Code	#	Description
VE-17	3	300MM (11 13/16") PH WITH SLIDE LOCK AT BOTH ENDS
V-MOD-LEG-2	3	
V-LG-02	3	1005MM X 450MM (39 9/16" X 17 23/32") V LEG 50MM CHANNEL
A1	3	825MM X 311MM (32 1/2" X 12 1/4") V LEG DSG GRAPHIC
V-CW-CT-01	3	384MM X 646MM (15 1/8" X 25 7/16") HYBRID RECTANGLE TOP




Insert the thumb connector into the bottom of the counter top and make a 1/4 turn clockwise to tighten in place.




1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

--- Wire running under carpet









INSERT DSG GRAPHIC BEFORE ATTACHING V LEG



LINEAR 34

Title: SET-UP INSTRUCTIONS


Code	#	Description
V-LV1-CL	4	LV1 WITH UNIVERSAL CLIP
VE-20	4	90 MM LIGHT LIFT FOR HEADER
V-LV1-CMP	4	LV1 WITH UNIVERSAL CLAMP



1. Redesign of this exhibit without approval by manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

--- Wire running under carpet



PM4S3



PH2C



PH2



PH

LINEAR 34

Title: SET-UP INSTRUCTIONS