

VECTOR FRAME BANNERS R-02



SET-UP NOTES

1. Redesign of this exhibit without approval by the manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

IMPERIAL TO METRIC SIZES

8' Nominal = 94 1/2" or 2400mm Actual
4' Nominal = 47 1/4" or 1200mm Actual
3' Nominal = 35 7/16" or 900mm Actual
2' Nominal = 23 5/8" or 600mm Actual
1' Nominal = 11 13/16" or 300mm Actual



VECTOR FRAME BANNERS R-02



Code	#	Description
SL2-350	2	Support Leg
F13	2	PHFC2-900-3[35 3/8:] (Mitre / Corner Lock one end - straight cut & lock hole other end - NO Locks)
F13	2	PHFC2-900-3 [35 3/8"] (Mitre / Corner Lock one end - straight cut & lock hole other end - NO Locks)
IB2	2	END TO END LOCK CONNECTOR
CB9	4	90 DEGREE CORNER LOCK CONNECTOR
F10	2	PHFC2-900-1[35 3/8"] (Mitre / Corner Lock Both ends - No Locks)

NOTE: TURN EACH CAM A LITTLE BIT, AND THEN GO BACK AND TIGHTEN BOTH TO THE PROPER TENSION.

NOTE: TURN EACH CAM A LITTLE BIT, AND THEN GO BACK AND TIGHTEN BOTH TO THE PROPER TENSION.



IB2 TO PHFC2


SL2-350 TO PHFC2

90 Deg. CB9 TO PHFC2

1. Redesign of this exhibit without approval by the manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference.
 Nominal refers to approximate size.



2400mm = (94 1/2")
 2100mm = (82 5/8")
 1800mm = (70 7/8")
 1500mm = (59")
 1200mm = (47 1/4")
 900mm = (35 1/2")
 600mm = (23 5/8")
 300mm = (11 7/8")

Phone Line / Fax
 Internet connection
 Outlet
 Main Drop (point of distrution)
 Wire running under carpet




VECTOR FRAME BANNERS R-02
 Title: SET-UP INSTRUCTIONS

Code	#	Description
SMP-63-G	1	70.87"H X 35.43"W SINGLE SIDED DYESUB GRAPHIC (UNLINED) PRINTED ON OXFORD W/ FCE-2 ALL 4 SIDES



1. Redesign of this exhibit without approval by the manufacture may result in dangerous and unsafe structures. The manufacture disclaims any responsibility for redesigned exhibits it does not approve in writing.
 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

- 2400mm = (94 1/2") Phone Line / Fax
 - 2100mm = (82 5/8") Internet connection
 - 1800mm = (70 7/8")
 - 1500mm = (59")
 - 1200mm = (47 1/4")
 - 900mm = (35 1/2")
 - 600mm = (23 5/8")
 - 300mm = (11 7/8")
- Outlet
 Main Drop (point of distrution)
 Wire running under carpet



VECTOR FRAME BANNERS R-02
 Title: SET-UP INSTRUCTIONS