

### WALL MOUNTED SNAP FRAME BACKLIT

Our wall mounted snap frames enable you to quickly update your signs or posters in a snap. Graphics install and can be changed easily in seconds with the snap frame graphic system. Just open all 4 sides of the frame, remove the UV resistant PVC protection film, insert your graphic, replace the protection film, and then snap the 4 sides frame closed. The snap frames are constructed of anodized silver aluminum with 35mm snap frame rails. The wall mounted snap frames can be installed horizontally or vertically and includes mounting hardware for installation. LED lights run around the perimeter of the frame with an acrylic panel diffuser to make sure lighting is even across the board. The power supply is UL listed so you can stay compliant. We offer UV printed graphics on our Backlit Films material for graphic package and graphic only options. Snap frame accepts materials up to 0.5mm thick.





PVC protection film



Wall mounts on backside



Wall mount hardware

### **OVERVIEW**

#### SKUs 18" x 24"

- SNAP-BL-18X24-G (graphic package)
- SNAP-BL-18X24-GO (graphic only)
- SNAP-BL-18X24 (hardware only)

#### SKUs 24" x 36"

- SNAP-BL-24X36-G (graphic package)
- SNAP-BL-24X36-GO (graphic only)
- SNAP-BL-24X36 (hardware only)
- Wall mounted anodized silver aluminum snap frames
- Single sided graphic display
- 35mm snap frame rails on all 4 sides makes changing graphics easy
- Display Dims:
  - o 18" x 24" 20.75"W x 26.75"H x 7/8"D
  - o 24" x 36" 26.75"W x 38.75"H x 7/8"D
- Standard graphic material Backlit Film (INV-BACKLIT-FILM)
- Accepts substrates up to 0.5mm thick
- Includes anti glare and UV resistant PVC protection film
- Available in 2 sizes:
  - o 18" x 24"
  - o 24" x 36"
  - Custom sizing not available at this time
- Can be mounted horizontally or vertically
- Edge lit LED with laser dotted acrylic panel diffusion
- UL listed power supply
- Includes wall mount hardware
  - (qty 4) Screws
  - o (qty 4) Wall anchors
  - 0
- Free Ground Shipping

Laser dotted acrylic panel diffusion for even lighting

# **BACKLIT DETAILS**



UL listed power supply



Power supply connection on short side of frame

#### PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

#### SNAP FRAME BACKLIT 18" X 24"

#### UPLOAD AT 100% SCALE DOCUMENT SIZE 18.5" x 24.5"

\*\*Design in portrait or landscape but MUST be uploaded in portrait\*\*

#### YELLOW SAFE AREA: 16"W x 22" H

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

#### **Graphic Specifications:**

- Create to template specs - 125 DPI resolution - CMYK color

- No template lines - Embed/link all Images

#### - Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.al, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0207.23

#### PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

#### SNAP FRAME BACKLIT 24" X 36"

#### UPLOAD AT 100% SCALE DOCUMENT SIZE 24.5" x 36.5"

\*\*Design in portrait or landscape but MUST be uploaded in portrait\*\*

#### YELLOW SAFE AREA: 22"Wx 34" H

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

#### Graphic Specifications:

- Create to template specs - 125 DPI resolution

- CMYK color
- No template lines

- Embed/link all images

- Create to outline all fonts

#### Acceptable file formats: - Photoshop (.psd, . psb)

- Illustrator (.al, .eps) - Flattened .tiff

Ver-0207.23

- Press quality .pdf

### **TEMPLATES**

- Graphics can be designed horizontally or vertically
- Graphics must be uploaded vertically (portrait) due to our quick proof system



### **Backlit Film**

Thickness	Printing Process	Finishing	Maximum Media Width
8.5mil	UV Cured	Matte	54"

## **GRAPHIC INFO**

- Material: Backlit Film (INV-BACKLIT-FILM)
- Print Process: UV printed
- **Finishing:** Cut to size
- Graphic Options:
  - Single sided graphics only
- **Production Time:** 2 business days for up to 10 sets
- Locations: CA, PA, and PFC
- Rush production: Not Available





### **SHIPPING & WARRANTY**

#### Shipping

- Graphic Package ships from CA, PA, and PFC
- Graphic Only ships from CA, PA, and PFC
- Hardware Only ships from CA and PA
- Free Ground Shipping

#### Warranty

- 1 year warranty on graphics
- 1 year warranty on hardware

#### Returns

RMA's will be shipped back to CA or PA

#### Shipping Dimensions 18" x 24"

- Graphic Package
  - 31.5"L x 24"W x 3.5"H
  - 9 lbs
- Graphic Only
  - o 24"L x 4"W x 4"H
  - 1 lbs
- Hardware Only
  - o 31.5"L x 24"W x 3.5"H
  - 9 lbs

### Shipping Dimensions 24" x 36"

- Graphic Package
  - o 37"L x 25"W x 2"H
  - 14 lbs
- Graphic Only
  - o 24"L x 4"W x 4"H
  - 1 lbs
- Hardware Only
  - o 37"L x 25"W x 2"H
  - o 14 lbs