

WALL MOUNT SNAP FRAMES BACKLIT

DISPLAY STANDS

PRODUCT CODE: SNAP-BL-18X24 or SNAP-BL-24X36



Wall Mount Holes on Backside of Frame Can Be Mounted Portrait or Landscape



Anti Glare & UV Resistant PVC Protection Film



Acrylic Board with Laser Dotting Diffusion

PRODUCT DESCRIPTION

Our wall mounted snap frames enable you to quickly update your signs or posters in a snap. Graphics install and can be changed easily in seconds with the snap frame graphic system. Just open all 4 sides of the frame, remove the UV resistant PVC protection film, insert your graphic, replace the protection film, and then snap the 4 sides frame closed. The snap frames are constructed of anodized silver aluminum with 35mm snap frame rails. The wall mounted snap frames can be installed horizontally or vertically and includes mounting hardware for installation. LED lights run around the perimeter of the frame with an acrylic panel diffuser to make sure lighting is even across the board. The power supply is UL listed so you can stay compliant. We offer UV printed graphics on our Backlit Films material for graphic package and graphic only options. Snap frame accepts materials up to 0.5mm thick.

DISPLAY DIMENSIONS 18" X 24"	20.75"W x 26.75"H x 7/8"D
GRAPHIC SIZE 18" X 24"	18.5"W x 24.5"H
DISPLAY DIMENSIONS 24" X 36"	26.75"W x 38.75"H x 7/8"D
GRAPHIC SIZE 24" X 36"	24.5"W x 36.5"H

GRAPHIC MATERIAL	GRAPHIC FINISHING
Backlit Film (INV-BACKLIT-FILM)	Cut to Size

DISPLAY CONSTRUCTION

Anodized silver aluminum snap frame with anti glare and UV resistant PVC protection film

LED LIGHT AND POWER INFORMATION

18" x 24"	24V, 2A
24" x 36"	24V, 3A
103 LEDs Per Meter	UL Listed Power Supplies

SHIPPING WEIGHTS & DIMENSIONS 18" X 24"

Shipping Weight	9 lbs (Graphic Package) 9 lbs (Hardware Only) 1 lbs (Graphic Only)
Shipping Dimensions	31.5"L x 24"W x 3.5"H (Graphic Package) 31.5"L x 24"W x 3.5"H (Hardware Only) 24"L x 4"W x 4"H (Graphic Only)

SHIPPING WEIGHTS & DIMENSIONS 24" X 36"

Shipping Weight	14 lbs (Graphic Package) 14 lbs (Hardware Only) 1 lbs (Graphic Only)
Shipping Dimensions	37"L x 25"W x 2"H (Graphic Package) 37"L x 25"W x 2"H (Hardware Only) 24"L x 4"W x 4"H (Graphic Only)

GRAPHIC TURN AROUND TIME

2 business days after proof approval for up to 10

WALL MOUNT SNAP FRAMES BACKLIT

DISPLAY STANDS

PRODUCT CODE: SNAP-BL-18X24 or SNAP-BL-24X36



PARTS LIST



(qty 1)
Snap Frame Backlit
w/PVC Protection Film



(qty 1)
AC/DC Adaptor
UL Listed



(qty 1)
Hanging Hardware Kit
Includes:
(qty 4) Screws
(qty 4) Wall Anchors



TEMPLATES

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SNAP FRAME BACKLIT 18" X 24"

**UPLOAD AT 100% SCALE
DOCUMENT SIZE 18.5" x 24.5"**

****Design in portrait or landscape but MUST be uploaded in portrait****

YELLOW SAFE AREA: 16"W x 22" H
*KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE*

*ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF*

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, .psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0207.23

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SNAP FRAME BACKLIT 24" X 36"

**UPLOAD AT 100% SCALE
DOCUMENT SIZE 24.5" x 36.5"**

****Design in portrait or landscape but MUST be uploaded in portrait****

YELLOW SAFE AREA: 22"W x 34" H
*KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE*


*ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF*

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, .psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0207.23

GRAPHIC INSTALLATION INSTRUCTIONS




Open snap frame profiles outwards



Remove PVC protection film



Place graphic onto frame



Replace PVC protection film & snap frame profiles down