Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

90° bend

approx. 13" gap between graphics

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

Quad Stacked Embrace 4x3 DS Front Display: 8x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 238.25"w X 92.25"h
Total Visual Area: 234.25"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

bleed area
trim line
safe area

approx. 13" gap between graphics

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

90° bend

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

90° bend

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

90° bend

Quad Stacked Embrace 4x3 DS Front Display: 8x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 238.25"w X 92.25"h
Total Visual Area: 234.25"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

bleed area
trim line
safe area

approx. 13" gap between graphics

Quad Stacked Embrace 4x3 DS Front Display: 1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5"w X 92.25"h
Total Visual Area: 30.5"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

90° bend

Quad Stacked Embrace 4x3 DS Front Display:

1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

90˚ bend

Quad Stacked Embrace 4x3 DS Front Display:
1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

Quad Stacked Embrace 4x3 DS Front Display:

8x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 238.25"w X 92.25"h
Total Visual Area: 234.25"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

Quad Stacked Embrace 4x3 DS Front Display:
1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

bleed area
trim line
safe area

Quad Stacked Embrace 4x3 DS Front Display:

1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

90˚ bend

Quad Stacked Embrace 4x3 DS Front Display:
1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

90˚ bend

Quad Stacked Embrace 4x3 DS Front Display:
1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

Quad Stacked Embrace 4x3 DS Front Display:

8x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 238.25"w X 92.25"h
Total Visual Area: 234.25"w X 88.25"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

90° bend

Quad Stacked Embrace 4x3 DS Front Display:

1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

bleed area
trim line
safe area

90˚ bend

Quad Stacked Embrace 4x3 DS Front Display:
1x3 Display

TEMPLATE @ 1/2 SIZE
Total Graphic Area: 34.5”w X 92.25”h
Total Visual Area: 30.5”w X 88.25”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 1” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @ 1/2 size, 100-120 at full size

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

90˚ bend

90˚ bend